



WIRED CHIMES

ACCESSORIES

WIRED PUSH BUTTONS

WIRELESS BATTERY CHIMES

WIRELESS PLUG-IN CHIMES

**WIRELESS SPECIALTY
CHIMES & ACCESSORIES**

FEATURES:

- **EASY INSTALLATION**
- **MODULAR CHIMES FOR EASY EXPANSION CAPABILITIES**




Simple Installation 1-2-3!

Replacing your Chime Systems step by step


Replacing A Push Button

1. Remove the button from its mounting by backing out its screws.
2. Remove the bell wires from the terminals, and touch wires together to make sure problem is not in the actual chime.
3. If there is no sound, the problem is in your chime, and you should replace it.






Replacing A Door Chime

1. Tag the wires marked "front", "back", and "trans", so you won't mix the wires up.
2. Remove the old chime, buzzer or bell. Install the new chime.
3. Connect the tagged wires to the proper terminals



Replacing A Transformer

1. Purchase transformer with same voltage rating as old one. SHUT OFF POWER TO CIRCUIT!
2. Open adjacent junction box, label bell wires and disconnect them. Disconnect transformer leads inside junction box, and disconnect transformer.
3. Thread new transformer leads inside junction box, fasten transformer to the box, and splice the leads to the wires. Connect the bell wires and test.



Wired Door Chimes

Carlon® Wired Chimes are perfect for new installations or for replacing non-functioning wired systems. For new installation, the following is required: 16-volt, 10VA transformer - Carlon® DH905, Bell Wire - Carlon® DH965. Pushbuttons as needed.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH110	White	0 81203 00110 0	3	8.5" x 6.5" x 11"	3.7	0.35

White Door Chime with Grid and Gold Accents. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH120	White	0 81203 00120 9	3	8.5" x 6.5" x 11"	3.7	0.35

White Door Chime with Decorative Lines. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH130	White	0 34481 19720 1	3	9.75" x 6.5" x 10.63"	3.3	0.38

White Door Chime with trim molding design. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH300	White	0 81203 00300 5	3	9.25" x 7.25" x 11.5"	4.5	0.45

White Door Chime with Contoured Cover. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH310	Tan/Med.Oak	0 81203 00310 4	3	9.25" x 7.25" x 11.5"	4.5	0.45

Door Chime with Medium Oak Print Cover. One or two door operation. Sounds two notes for front door and one note for back door.

Wired Door Chimes (Continued)



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH315	Brn/Dark Oak	0 81203 00315 9	3	9.25" x 7.25" x 11.5"	4.5	0.45

Door Chime with Dark Oak Print Cover. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH320	Brn/Mahogany	0 81203 00320 3	3	9.25" x 7.25" x 11.5"	4.5	0.45

Door Chime with Mahogany Print Cover. One or two door operation. Sounds two notes for front door and one note for back door.

Transformer or Battery Operated Wired Door Chime



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH251	Antique Brass Finish	0 34481 19648 8	3	10.25" x 8" x 11.87"	3.6	0.56
DH252	White	0 34481 18942 8	3	10.25" x 8" x 11.87"	3.6	0.56
DH253	Satin Nickel Finish	0 34481 19647 1	3	10.25" x 8" x 11.87"	3.6	0.56
DH257	Brushed Bronze Finish	0 34481 19663 1	3	10.25" x 8" x 11.87"	3.6	0.56

Door Chime with White Cover. One or two door operation. Sounds two notes for front door and one note for back door. AC/DC operation.

Decorative Wired Door Chimes



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH600	Wood Cover	0 81203 00600 6	3	10.25" x 8" x 12"	5.7	0.73

Wired Chime Diagonal Medium Wood Cover. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH636	Wood Cover	0 34481 19721 8	3	10.25" x 8" x 12"	5.07	0.38

Wired Chime with Medium Wood Cover. One or two door operation. Sounds two notes for front door and one note for back door.

Wired Door Chimes



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH504	White/Tubes	0 81203 00504 7	3	11.5" x 9.75" x 13.25"	6.6	0.45

Wired Chime White with Brass Finish Tubes. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH506	Wood/Tubes	0 81203 00506 1	3	10.75" x 9" x 13"	8.5	0.73

Wired Chime Medium Wood Cover with Brass Finish Tubes. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH509	Wood/Tubes	0 81203 00509 2	3	10.75" x 9" x 13"	8.5	0.73

Wired Chime Cherry Wood Cover with Brass Finish Tubes. One or two door operation. Sounds two notes for front door and one note for back door.

Electronic Wired Musical Chime



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH853E	White	0 34481 18943 5	3	8.75" x 7.75" x 11.5"	3.15	0.45

Electronic Door Chime, White. One or two door operation. 29 musical tunes. AC/DC operation.

Now you can hear your favorite song when someone presses your door chime button! Simply record song using the internal microphone or plug microphone cord (included) into computer, radio or CD player.



Record-A-Chime™



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH840E	White	0 81203 00840 6	3	11.5" x 9.38" x 13"	2.3	0.81

Record-A-Chime™. Single, two or three door operation. Battery or transformer operated. Record song using the internal microphone or plug microphone cord (included) into computer, radio or CD player. AC/DC operation.

Door Chime Intercoms



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH720	White	0 34481 19248 0	3	8.5" x 7.87" x 11"	8.5	0.43

Door Chime Intercom with White Finish. Outdoor Speaker includes nameplate insert and pushbutton. Indoor Speaker includes volume control, adjustable timeout control - set between 25 and 35 seconds and pull cord. Designed for use with only one pushbutton.

Wired Door Chime Kits



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
CK221RP	White	0 34481 04324 9	12	10" x 13.25" x 11"	24.5	0.84

Wired Contractor Chime Kit includes chime, 16V, 10VA transformer and two unlighted white push buttons. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
CK225	White	0 34481 08234 7	12	10" x 13.25" x 11"	24.5	0.84

Wired Contractor Chime Kit includes chime, 16V, 10VA transformer, one lighted gold push button and one lighted white push button. One or two door operation. Sounds two notes for front door and one note for back door.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
CK260	Brass	0 34481 19497 2	12	13.25" x 9.87" x 11"	20.5	0.83

Wired Stucco Chime Kit includes chime, lighted button, 16V transformer, and mounting tube. A mounting tube with lid is included for homes made with stucco construction.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
CK263	Satin Nickel	0 34481 19498 9	12	13.25" x 9.87" x 11"	24.9	0.83

Wired Stucco Chime Kit includes chime, lighted button, 16V transformer, and mounting tube. A mounting tube with lid is included for homes made with stucco construction.

Door Chime Accessories



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH905	N/A	0 81203 00905 2	3	11.4" x 5.7" x 6.5"	3.2	0.24

Wired 16V Transformer. 16V, 10VA (watts). For use with chimes, bells, buzzers and other applications within specified ratings.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH910	N/A	0 81203 00910 6	3	11.4" x 5.7" x 6.5"	3.9	0.24

Wired Tri-Volt Transformer. Use in 8, 16, or 24 volt, AC. 20VA (watts) Applications. For use with chimes, bells, buzzers and other applications within specified ratings.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH915	N/A	0 34481 19249 7	3	13" x 5.87" x 6.5"	6.1	0.28

Wired 40V Transformer. Use in 24 volt AC, 40VA (watts) applications. For use with chimes, bells, buzzers and other applications within specified ratings.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH920	Chrome	0 81203 00920 5	6	10.4" x 5.12" x 6.89"	1.25	0.21

Wired All Purpose Chrome Buzzer. For use with 3-9 volt DC or 8-16 volt AC transformer. For new installation, the following is required: 16-volt, 10VA transformer - Carlton® DH905, Bell Wire - Carlton® DH965, Pushbuttons as needed. Single door operation.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH922	Chrome	0 81203 00922 9	6	10.4" x 5.12" x 9"	1.8	0.28
DH924	Chrome	0 34481 21164 8	6	12.75" x 5.75" x 9.62"	1.25	0.40

Wired Chrome. For use with 4.5-9 volt DC or 8-16 AC transformer. For new installation, the following is required: 16-volt, 10VA transformer - Carlton® DH905, Bell Wire - Carlton® DH965. Pushbuttons as needed. Single door operation.

DH922 - 2-1/2" Bell

DH924 - 4" Bell



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH945	Solid Brass	0 34481 20909 6	3	13" x 5.5" x 6.25"	3.0	0.26

Victorian Shopkeeper's Bell. Vintage shopkeeper's bell alerts you of customer traffic with a pleasant bell sound. Mounts directly to door.

Door Chime Accessories



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH950	Brass	0 34481 20910 3	3	13" x 5.5" x 6.25"	2.52	0.26

Victorian Mechanical Door Bell.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH965	Black	0 81203 00965 6	6	10" x 5.25" x 6.75"	2.4	0.21

Wired Bell Wire 65'. 65' Bell Wire. Single conductor wire, 20 AWG. 48 volt maximum low voltage load. For use with chimes, bells, buzzers and transformers. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH970	Brass plated	0 34481 19227 5	3	6.62" x 5.75" x 9.37"	2.75	0.21

Wired Electric Door Strike. For use in new or replacement installations in wood or metal jambs. For use with lock sets having up to 1/2" throw. Voltage class: 8-16V AC, 4-6V DC, 0.9 - 2.5 amps. 2.2 ohms. Sound: AC-buzz, DC-silent.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH992	White	0 34481 19231 2	6	10.62" x 4.25" x 8"	6.9	0.21

Non Electrical Mechanical Door Bell with Viewer. Designed to mount on doors from 1-1/4" to 2" thick. Easy to install, includes chime, name plate, and viewer.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH994	Clear	0 34481 19229 9	6	12.87" x 4" x 7"	4.06	0.21

Mechanical Entry Chime. For use on entry door. Chime magnet pulls away from the door frame causing the magnet to hit the chime bar to alert you when someone enters/exits the door. Easy to install. No batteries or wiring needed.

Push Buttons

Carlton® Push Buttons easily connect to new or existing wiring.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1201	Silver	0 81203 01201 4	6	8.5" x 2.5" x 5.25"	0.3	0.07
DH1201L	Silver	0 81203 11201 1	6	8.5" x 2.5" x 5.25"	0.3	0.07

Wired Round Push Button, Silver Rim - DH1201L (Lighted). For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.

Push Buttons (Continued)

Carlon® Push Buttons easily connect to new or existing wiring.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1202	Gold	0 81203 01202 1	6	8.5" x 2.5" x 5.25"	0.3	0.07
DH1202L	Gold	0 81203 11202 8	6	8.5" x 2.5" x 5.25"	0.3	0.07

Wired Round Push Button, Gold Rim - DH1202L (Lighted). For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1203L	Brass	0 81203 01203 8	6	8.5" x 2.5" x 5.25"	0.3	0.07

Wired Round Push Button, Brass Button Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1260L	Brass	0 34481 19494 1	6	12.3" x 3.6" x 7.3"	0.75	0.18
DH1263L	Satin Nickel	0 34481 19496 5	6	12.3" x 3.6" x 7.3"	0.75	0.18



Wired Stucco Push Button, Lighted, Brass - DH1260L.

Wired Stucco Push Button, Lighted, Satin Nickel - DH1263L.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1404L	Silver	0 81203 01404 9	6	8.5" x 2.5" x 5.25"	0.5	0.07
DH1405L	Gold	0 81203 01405 6	6	8.5" x 2.5" x 5.25"	0.5	0.07

Wired Rectangular Push Button, Lighted, Silver - DH1404L.

Wired Rectangular Push Button, Lighted, Gold - DH1405L.

For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1407	Black	0 81203 01407 0	6	8.5" x 2.5" x 5.25"	0.5	0.07
DH1407L	Black	0 81203 11407 7	6	8.5" x 2.5" x 5.25"	0.5	0.07
DH1408	White	0 81203 01408 7	6	8.5" x 2.5" x 5.25"	0.5	0.07
DH1408L	White	0 81203 11408 4	6	8.5" x 2.5" x 5.25"	0.5	0.07

Wired Rectangular Push Button, Black - DH1407

Wired Rectangular Push Button, Black - DH1407L (Lighted).

Wired Rectangular Push Button, White - DH1408

Wired Rectangular Push Button, White - DH1408L (Lighted).

For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.

Push Buttons (Continued)



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1504L	Silver	0 81203 01504 6	6	8.5" x 2.5" x 5.25"	0.6	0.06
DH1505L	Gold	0 81203 01505 3	6	8.5" x 2.5" x 5.25"	0.6	0.06

Wired Metal Push Button, Lighted, Silver Finish (DH1504L), Gold Finish (DH1505L). For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1805	Gold Finish	0 34481 21165 5	6	8.37" x 2.37" x 5.5"	5.5	0.06

Wired Push Button, Gold Finish with Black Button. For use with wired chimes, bells and buzzers. 8-24V max.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1814	White	0 81203 01814 6	6	8.5" x 2.5" x 5.25"	0.4	0.07
DH1824	White/Black	0 81203 01824 5	6	8.5" x 2.5" x 5.25"	0.4	0.07

Wired Push Button, Hidden Screws, White with White Button - DH1814.
 Wired Push Button, Hidden Screws, Black with White Button - DH1824.
 For use with wired chimes, bells and buzzers. Flush mounted, 8-24V.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1602	Gold Finish	0 34481 19230 5	6	7.75" x 3.5" x 7.75"	8.14	0.12

Multi-Family Push Button, Gold Finish. For use with wired chimes, bells and buzzers. 8-24V max.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1605	Brass	0 81203 01605 0	6	7.5" x 3.4" x 5.2"	0.6	0.08
DH1607	Antique Brass	0 81203 01607 4	6	7.5" x 3.4" x 5.2"	0.6	0.08

Wired Classic Push Button, Brass Round with Black Button - DH1605.
 Wired Classic Push Button, Brass Round with Black Button - DH1607.
 For use with wired chimes, bells and buzzers. Flush mounted, 8-24V.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1608L	Brass	0 81203 01608 1	6	7.5" x 3.4" x 5.2"	0.6	0.08

Wired Brass Flat Push Button with Hidden Screws, Lighted. For use with wired chimes, bells and buzzers 8-24V. Do not use with a battery powered chime.

Push Buttons (Continued)



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1610L	Black	0 81203 11610 1	6	8" x 3.5" x 8"	0.7	0.12
DH1615L	Antique	0 81203 11615 6	6	8" x 3.5" x 8"	0.7	0.13

Wired Push Button Black Wrought Iron Finish, Lighted - DH1610L.

Wired Push Button Antique Wrought Iron Finish, Lighted - DH1615L.

For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.

Solid Brass Escutcheons

Carlon® Push Buttons with Solid Brass Escutcheons easily connect to new or existing wiring.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1630L	Brass	0 81203 01630 2	6	7.5" x 3.4" x 5.2"	1.2	0.08
DH1631L	Antique	0 81203 01631 9	6	7.5" x 3.4" x 5.2"	1.2	0.08
DH1632L	Oil Rubbed Bronze	0 81203 01632 6	6	7.5" x 3.4" x 5.2"	1.2	0.08
DH1633L	Satin Nickel	0 81203 01633 3	6	7.5" x 3.4" x 5.2"	1.2	0.08
DH1635L	Copper	0 81203 01635 7	6	7.5" x 3.4" x 5.2"	1.2	0.08
DH1637L	Brushed Bronze	0 34481 19724 9	6	7.5" x 3.4" x 5.2"	1.2	0.08

Wired White Push Button with Solid Brass Escutcheon, Lighted, Stepped edge. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1641L	Antique	0 81203 01641 8	6	8" x 3.5" x 8"	1.2	0.13

Wired Brass Floral Push Button, Antique Finish, Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1650L	Brass	0 81203 01650 0	6	8" x 3.5" x 8"	1.3	0.13
DH1651L	Antique	0 81203 01651 7	6	8" x 3.5" x 8"	1.3	0.13
DH1652L	Oil Rubbed Bronze	0 81203 01652 4	6	8" x 3.5" x 8"	1.3	0.13
DH1653L	Brushed Nickel	0 81203 01653 1	6	8" x 3.5" x 8"	1.3	0.13
DH1657L	Oil Rubbed Bronze	0 34481 21440 3	6	8" x 3.5" x 8"	1.3	0.13

Wired Brass Medallion Push Button, Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.

Solid Brass Escutcheons (Continued)



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1670L	Brass	0 81203 01670 8	6	8" x 3.5" x 8"	1.9	0.13

Wired Brass Pineapple Push Button, Brass Finish, Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1691L	Antique finish	0 34481 18522 2	6	7.75" x 3.5" x 7.5"	1.34	0.12
DH1695L	Copper	0 34481 18479 9	6	7.75" x 3.5" x 7.5"	0.9	0.12

Wired White Push Button with Seasonal Design, Antique Finish (DH1691L), Copper (DH1695L). For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1660L	Antique finish	0 81203 01660 9	6	8" x 3.25" x 5.1"	0.9	0.08

Wired Brass Victorian Push Button, Antique Finish, Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1665L	Antique finish	0 81203 01665 4	6	8" x 3.25" x 5.1"	0.8	0.08

Wired Brass Sculptured Push Button, Antique Finish, Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1667L	Brass	0 81203 01667 8	6	7.5" x 3.5" x 5.6"	0.8	0.22
DH1667NL	Satin Nickel	0 34481 21151 8	6	7.5" x 3.5" x 5.6"	0.8	0.22

Wired Brass Roped Push Button, Brass or Satin Finish, Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1669L	Brass	0 81203 01669 2	6	8" x 3.25" x 5.1"	0.8	0.08

Wired Brass Rounded Push Button, Brass Finish, Lighted. For use with wired chimes, bells and buzzers. Flush mounted, 8-24V. Do not use with a battery powered chime.

Hand Crafted Lighted Buttons

Made of solid stone and oil rubbed bronze finish. Narrow Travertine Stone 2" x 4". Deep, dark brown finish with a luster coat.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
DH1711L	Oil Rubbed	0 34481 19204 6	3	4.5" x 3.62" x 7.62"	1.5	0.07

DH1711L - Gecko with oil rubbed finish on travertine stone.

Wireless Battery Door Chimes Symphony Series - CD Quality Sound



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC4100	White	0 81203 04100 7	3	9" x 12" x 11"	0.8	0.69

CD Quality Battery Door Chime. Large 3-inch speaker. 13 sound options. 32 selectable codes block interference from outside signals. Up to 150-foot operating range. Volume control.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC4120	White	0 34481 19569 6	3	13" x 12.62" x 11.62"	5.28	1.10

Long Range Wireless Chime. Place chime up to 300' from the button. Plays thirteen sounds. LED lights flash while tune plays. Adjustable volume control. Verbal low battery alert. Uses (4) D-cell alkaline batteries (not included). 32 selectable codes reduce interference from outside signals. Compatible with all Carlson wireless chime systems.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC4300	White	0 81203 04300 1	3	9" x 12" x 12"	6.7	0.75

Wireless Battery CD Quality White Chime. Plays 13 sounds. Adjustable volume control. Up to 150 foot operating range. 32 selectable codes block interference from outside signals. Large 4" speakers. Compatible with all Carlson® Wireless Chime Systems only. Different sounds for front, back and other doors (add additional buttons). Button - dependable works from -30°F to +130°F in all weather conditions.

Record-A-Chime™



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC4336	Med. Wood	0 81203 04336 0	3	9" x 12" x 12"	6.7	0.75

Record-A-Chime™, CD Quality Battery Door Chime. Large 4-inch speaker. 3 sound options. 32 selectable codes block interference from outside signals. Up to 150-foot operating range. Volume control. Special recording feature allows user to customize the tune it plays. Downloadable via the computer "connector".

Wireless Record-A-Chime™ with Hanging Tubes



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3346	Med. Wood	0 34481 19226 8	3	18.5" x 12.25" x 11.37"	11.55	1.5

Wireless Battery Chime with Hanging Tubes. 13 sound options. Volume control. 32 selectable codes block interference from outside signals. Up to 150-foot operating range. 4-"C" batteries.

Wireless Battery Doorbells (Continued)



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3190D	White	0 81203 03190 9	6	13" x 7" x 8.5"	3.7	0.45

Standard Battery Door Chime. 8 chime tunes. Compact - fits on counters, bookshelves, or other out-of-the-way places. 2" speaker provides excellent sound quality. Belt clip for use as a portable pager. 4-"AA" batteries.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3510D	White	0 81203 03510 5	6	16" x 9" x 12"	7.0	0.99
RC3513D	White	0 81203 33500 7	6	16.25" x 9.5" x 12"	7.04	1.07

Weatherproof Battery Doorbell - RC3510D.

Indoor/Outdoor Battery Extend-A-Chime - RC3513D.

13 chime tunes. Use indoors or out. Mount vertically or horizontally. Longest operating range available 150 ft. Low-battery indicator on button. 4-"C" batteries.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3520	White	0 81203 03520 4	6	11.25" x 9" x 12"	7.0	0.70

Battery Door Chime. Six sound options. 13 chime tunes. Different sounds for front and back doors. 32 selectable codes block interference from outside signals. Adjustable volume control. 4-"C" batteries.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3410	White	0 81203 03410 8	6	17.5" x 9" x 12"	8.0	1.09

Wallpaper Battery Doorbell. 13 chime tunes. Snap-out panel can be wallpapered or painted to match your decor. Mount vertically or horizontally. Different sounds for front and back doors. 32 selectable codes block interference from outside signals. 4-"C" batteries.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3610	White	0 81203 03610 2	3	9" x 9" x 12"	4.5	0.56

Wallpaper Battery Door Chime. 13 chime tunes, including front and back door. Snap-out panel can be wallpapered or painted to match your decor. Snap-in wood trim - 2 colors available. 4-"C" batteries.

Wireless Battery Doorbells (Continued)



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3304F	White	0 81203 03304 0	3	9" x 12" x 12"	6.7	0.75
RC3306F	Med. Wood	0 81203 03306 4	3	9" x 12" x 12"	6.7	0.75



Decorator Battery Door Chime. 13 chime tunes. Different sounds for front and back doors. 4" speaker for superior sound. Set sound conveniently at button. 4-"D" batteries.

RC3304F - White cover with brass finish tubes.

RC3306F - Wood cover with brass finish tubes.

Wireless Shelf Chime



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3624	Med. Wood	0 81203 03676 8	3	5.12" x 8.5" x 10.62"	3.11	0.26

Wireless Battery Shelf Chime. 13 sound options. Volume control. 32 selectable codes block interference from outside signals. Up to 150-foot operating range. 4-"C" batteries.

Wireless Clock Chime



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3676	Med. Wood	0 81203 03624 9	3	5.12" x 12.5" x 7.25"	3.33	0.26

Wireless Battery Clock Chime. 13 sound options. Volume control. 32 selectable codes block interference from outside signals. Up to 150-foot operating range. 4-"C" batteries

Wireless Corner Chime



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3196	White	0 34481 18527 7	3	17.75" x 8.12" x 9.62"	4.37	0.76

Wireless Battery Corner Chime. 6 sound options. 32 selectable codes block interference from outside signals. Up to 150-foot operating range.

Wireless Plug-In Doorbells



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3730D	White	0 81203 03730 7	6	13" x 7" x 8.5"	3.12	0.45
RC3732D	White	0 81203 03732 1	6	13" x 7" x 8.5"	3.80	0.45
RC3733D	White	0 81203 03733 8	6	13" x 6" x 8.5"	3.80	0.38

Plug-In Door Chime. 8 chime tunes. 1.5" speaker with volume control. Works with all Carlton® Chime Systems. 32 selectable codes block interference from outside signals.

- RC3730D - 1 Button
- RC3732D - 2 Buttons
- RC3733D - Add-On Chime.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3250	White	0 81203 03250 0	6	14" x 8" x 10"	5.0	0.65
RC3252	White	0 81203 03252 4	6	14" x 9" x 10"	5.2	0.73
RC3253	White	0 81203 03253 1	6	14" x 6.5" x 10"	4.0	0.53

Plug-In Door Chime. 13 tunes. 2.25" speaker with volume control. Different sounds for front, back and other doors. 32 selectable codes block interference from outside signals.

- RC3250 - 1 Button
- RC3252 - 2 Buttons
- RC3253 - Add-On Doorbell.

Now you can hear your favorite song when someone presses your door chime button! Simply record song using the internal microphone or plug microphone cord (included) into computer, radio or CD player.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3256	White	0 34481 21132 7	3	8.5" x 7.87" x 10"	1.98	0.39

Wireless Plug-in Chime with Night Light. Plays thirteen sounds. Different sounds for front and back doors. Adjustable volume control. Up to 250 foot operating range. 32 selectable codes block interference from outside signals.

Plug-In Flashing Door Chime



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3270	White	0 81203 03270 8	3	9.8" x 10.63" x 11"	3.63	0.66

Plug-In Flashing Door Chime. Ability to make lamp flash with tune being played. Plugs into standard phone outlet. Transmits signal to chime receiver when phone rings to play phone sound. Plays 6 different chime sounds. Up to 150-foot operating range. 32 selectable codes block interference from outside signals.

Entrance Alert Chimes



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3450	White	0 81203 03450 4	6	12.5" x 5" x 10"	1.95	0.36

Wireless Door Sensor. Alarm or chime sounds when transmitter and magnet are separated. Operates with Carlson's RC2235 Entrance Alert and Wireless Chimes. Uses a 6-volt battery (included). Indoor use only.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3760D	White	0 81203 03760 4	6	13" x 7" x 8.5"	3.31	0.45

Entrance Alert™ Chime. Chime sounds when a monitored door is opened. 8 chime tunes. 32 selectable codes block interference from outside signals. Up to 150-foot operating range. Adjustable volume control.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3260	White	0 81203 03260 9	6	14" x 9" x 10"	5.4	0.73

Plug-In Entrance Alert™ Chime. Chime sounds when door is opened. 6 chime tunes. Ideal for small shops and businesses, or homes with small children. 32 selectable codes block interference from outside signals.



RC3260 Plug-In Entrance Alert™ Chime

Extend-A-Chime®



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3200	White	0 81203 03200 5	6	14" x 8" x 10"	5.0	0.65

Plug-In Extend-A-Chime®. Use with existing doorbell. Six different selectable sounds. 32 selectable codes block interference from outside signals. 2-1/4" speaker provides excellent sound quality.




Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3030D	White	0 81203 03030 8	6	13" x 7" x 8.5"	4.0	0.45

Plug-in Extend-A-Chime®. Use with existing door chime. Three sound options. 2" speaker provides excellent sound quality. 32 selectable codes block interference from outside signals.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3500D	White	0 81203 03500 6	6	16" x 9" x 12"	7.0	0.99

Battery Extend-A-Bell™. Use with existing doorbell. Weatherproof - mount receiver indoors or out. Up to 150-foot operating range.



Transmitter Buttons



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3301	White	0 81203 03301 9	6	11" x 3.63" x 7.87"	1.5	0.18
RC3302	White	0 81203 03302 6	6	12" x 4" x 7.5"	1.2	0.21

White Door Chime Button. Works with all Carlson® Chime Systems. Sound select on front of button. Weatherproof - use indoors or out. Button works from -30°F to + 130°F.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3311	Black	0 81203 03311 8	6	12" x 4" x 7.5"	1.5	0.21

Black with Gold Plate Door Chime Button. Works with all Carlson® Chime Systems. Sound select on front of button. Weatherproof - use indoors or out. Button works from -30°F to + 130°F.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3341	White	0 81203 03341 5	6	12" x 4" x 7.5"	1.5	0.21

White Chime Button. Works with all Carlson® Chime Systems. Sound select on front of button. Weatherproof - use indoors or out. Button works from -30°F to + 130°F.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC4121	White	0 34481 19570 2	6	11" x 3.5" x 7.87"	0.792	0.17

Long Range Wireless Button. Up to 250' operating range. Uses (2) 3-volt lithium batteries (installed). 32 selectable codes block interference from outside signals. Set sound on front of button. Compatible with all Carlson wireless chime systems.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3105	White	0 34481 21078 8	6	12.25" x 7.12" x 8.75"	1.85	0.44

Economy Battery Chime. Different sounds for front and back doors. Up to 75 foot operating range. 32 selectable codes block interference from outside signals. Uses 3 "AAA" alkaline batteries (not included). Compatible with all Carlson wireless chime systems.

Wireless Doorbells



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3130	White	0 34481 21079 5	6	14.75" x 7.125" x 8.75"	2.29	0.53
RC3132	White	0 34481 21140 2	6	14.75" x 7.125" x 8.75"	2.82	0.53
RC3134	White	0 34481 21141 9	6	14.75" x 12" x 8.75"	6.13	0.90



RC3130 – Wireless Plug-In Chime. Different sounds for front and back doors. Up to 75 foot operating range. 32 selectable codes block interference from outside signals. Compatible with all Carlson® Wireless Chime Systems. Uses (2) 3-volt lithium batteries (installed).

RC3132 – Wireless Plug-In Chime with two Buttons. Different sounds for front and back doors. Up to 75 foot operating range. 32 selectable codes block interference from outside signals. Compatible with all Carlson® Wireless Chime Systems.

RC3134 – Two Wireless Plug-in Chimes with two Buttons. Different sounds for front and back doors. Up to 75 foot operating range. 32 selectable codes block interference from outside signals. Compatible with all Carlson® Wireless Chime Systems.



Batteries



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3095	N/A	0 81203 03095 7	12	6.2" x 4.3" x 5.3"	0.80	0.08

6-Volt Alkaline Battery. For use with button RC3450. One battery per card. Size PX28A alkaline battery.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC3395	N/A	0 81203 03395 8	12	6.2" x 4.3" x 5.3"	0.70	0.08

3-Volt Button Cell Battery. For use with buttons; RC3301, RC3311, RC3341 and RC5101. Two batteries per card. Size CR2032 lithium battery.