

Carlon®

Taper Battery Candles



- * No hot wax or dangerous flame
- * LED light source eliminates need for bulb replacement
- * Realistic flickering flame
- ** Built-in timer candle will automatically come on the same time every day if left turned on and remain on for six hours before turning off and coming on the next day
- * Manual on/off turn candle while holding onto base
- Flexible base works with a wide variety of candleholders



Classic 9"

- Uses 2 "AA" alkaline batteries (not included)
- Operates for up to 240 hours or 40 days if left turned on (six hours per day)



9" Candle with Window Mounting Kit

Includes taper candle, suction cup and an antique brass or pewter finish candleholder



FPC1451P

FPC1451B



FPC1452

Two Pack 9" Candle Kit

Includes two ivory candles, two suction cups and two polished brass finish candleholders







Formal 12"

- Uses 3 "AA" alkaline batteries (not included)
- Operates for up to 300 hours or 50 days if left turned on (six hours per day)



12" Candle with Window Mounting Kit

Includes taper candle, suction cup and an antique brass or pewter finish candleholder







FPC1462

Two Pack 12" Candle Kit

Includes two ivory candles, two suction cups and two polished brass finish candleholders



Warm White LED Battery Candles



- Illuminates with a beautiful warm white color
- Uses 3 "AA" alkaline batteries (not included)
- Operates for up to 240 hours or 40 days if left turned on (six hours per day)



12" Candle with Window Mounting Kit

Includes warm white LED taper candle, suction cup and an antique brass or pewter finish candleholder



Traditional Battery Candles



- * No hot wax or dangerous flame
- * LED light source eliminates need for bulb replacement
- * Automatically comes on at dusk and turns off at dawn

Economy

- Lasts approximately 20 days on 2 "AA" alkaline batteries (not included)
- · Realistic flickering flame
- Base (included) can be used in 3 ways:
 - Candleholder
 - Saucer
 - Drip Catcher



Standard

- Lasts approximately 20 days on 2 "AA" alkaline batteries (not included)
- Realistic flickering flame



Deluxe

- Lasts the entire holiday season using 2 "C" alkaline batteries (not included)
- Choose from realistic flickering or full on flame
- Windowsill mounting clip included



Candelabra

- Lasts the entire holiday season using 3 "D" alkaline batteries (not included)
- Choose from realistic flickering or full on flame
- Windowsill mounting clip included



FPC1230



FPC1225P

FPC1230P



FPC1230ABZ

Warm White LED Traditional Battery Candles

- * Illuminates with a beautiful warm white color
- * No hot wax or dangerous flame
- * LED light source eliminates need for bulb replacement
- * Automatically comes on at dusk and turns off at dawn



Standard

- Lasts approximately 20 days on 3 "AA" alkaline batteries (not included)
- Realistic flickering flame







FPC1520P




FPC1520A



Advanced LED Color

Candelabra

 Lasts the entire holiday season using 3 "D" alkaline batteries (not included)






FPC1530B



FPC1530A



Deluxe



FPC1525A



FPC1525B



Battery Votive Candles

- * No hot wax or dangerous flame
- * LED light source eliminates need for bulb replacement
- * Built-in timer candle will automatically come on the same time every day if left turned on and remain on for six hours before turning off and coming on the next day
- * Uses 2 "AA" alkaline batteries (not included)
- Can be used with or without decorative holder or jar, in another holder or by themselves





Flickering

- · Realistic flickering flame
- Operates for up to 240 hours or 40 days if left turned on (six hours per day)



FPC1410
Decorative
holder included



FPC1415 Frosted glass holder included



FPC1425
Frosted glass
holder included

Color Changing

- Continuously changes color
- Operates for up to 60 hours or 10 days if left turned on (six hours per day)



Decorative holder included



Plug-In Candle Night Lights

- * LED light source eliminates need for bulb replacement
- * Energy efficient uses only \$.30 a year based on \$.08 per KWHK, 1/20 the energy use of traditional incandescent night lights
- * Cool to the touch generates little heat
- * Maintenance free operation for over 11 years
- * Listed by UL for US and Canadian applications for indoor use only





Standard

Plugs into any standard outlet



FPC1250



FPC1250P

Rotating

 The night light's rotating base enables it to be used in a horizontal or vertical receptacle



FPC1255P





Weatherproof Battery
Pillar Candles

- * Can be used indoors or outdoors
- * LED light source eliminates need for bulb replacement
- * Choose from realistic flickering or full on flame
- * Built-in timer candle will automatically come on the same time every day if left turned on and remain on for six hours before turning off and coming on the next day
- * Uses 2 "D" alkaline batteries (not included)
- *4", 5" and 6" pillars operate for up to 12 months if left turned on (six hours per day)





4" Pillar



FPC1484

5" Pillar



FPC1485

6" Pillar



FPC1486

3 Wick Pillar Candle

- Operates for up to 4 months if left turned on (six hours per day)
- Random flickering simulates real candle flames



FPC1493



Candle Set

- Set of three one, 4", 5", and 6" candle
- Display together or individually







FPC1487

Touch Controls

- * Eliminates crawling under tree to plug in lights
- * Listed by UL for US and Canadian applications for indoor use only



On/Off

- Touch the ornament to turn Christmas tree lights on and off
- Controls up to 1200 miniature Christmas tree lights (600 watts max.)



1225L



1225L/1225LC*

Stake Lights

- * Ideal for holiday, landscape and accent lighting
- * All metal construction

* Use up to 150W, par 38 bulb only



• Includes 3-foot cord



B660GR

- Gasket provides a weathertight seal and allows stake light to be positioned upward
- Includes 6-foot cord



Indoor Light Controls



- * Operates Christmas tree lights, decorative lighting and lamps with the convenience of a remote
- * Plugs into any standard outlet
- * 50' range, 12V battery (installed)

On/Off Control

- Four selectable channels
- Controls up to 1200, 1/2 watt, miniature Christmas tree lights (600 watts max.)
- Listed by UL for US and Canadian applications for indoor use only



Light Dimmer

- Turn light on/off and dim with a remote
- Unit's memory retains last dimming level selected
- Two frequencies available
- Controls up to 600 miniature Christmas lights
- 300 watts, cULus listed for indoor use only



RC6000

Outdoor Light Controls

- * Operates Christmas tree lights, decorative lighting and lamps with the convenience of a remote
- * Grounded plug/outlet plugs into any standard outlet inside or outside
- * Listed by UL for US and Canadian applications for indoor and outdoor use

On/Off Control

- Four selectable channels
- 150´ range, 12V battery (installed)
- Controls up to 1920, 1/2 watt, miniature Christmas lights (960 watts max.)



HW2190

Photo Cell Flood Light Control

- Light-activated, can be set to turn on at early dusk to darkness
- Easy manual override of "auto on" feature
- 120 V AC, 150 W max. par 38 bulb, incandescent only



HS250D



Battery Operated Candles



Bulk Tray Display

- Free standing, self-serve display that is a proven moneymaker any time of the year
- Rugged and sturdy design
- Color header
- Carton lid doubles as a base

FPC1225T/FPC1225PT

- Holds 36 units in 2 stackable trays
- Display dimensions (L x W x H) 16 "x 26.75" x 54.06"

FPC1220T/FPC1220PT

- Holds 48 units in 2 stackable trays
- Display dimensions (L x W x H) 16 "x 26.75" x 50"

Catalog Number	Order Quantity	Case Dimensions (L x W x H)	Case Weight (lbs.)	Case Cu.
FPC1225T	36	16" x 26.75" x 23.75"	22.25	5.88
FPC1225PT	36	16" x 26.75" x 23.75"	22.25	5.88
FPC1220T	48	16" x 26.75" x 21.50"	17.36	5.33
FPC1220PT	48	16" x 26.75" x 21.50"	17.36	5.33

Light Controls

Shelf Tray Display

- Compact in size
- Great for impulse sales
- Color header
- Holds 18 units
- Display dimensions
 (L x W x H) 13.6" x 18.5" x 19"

Catalog Number	Order Quantity	Case Dimensions (L x W x H)	Case Weight (lbs.)	Case Cu.
1225LST	18	13.63" x 18.5" x 8"	7.28	1.17
1225LT	18	13.63" x 18.5" x 8"	7.28	1.17
1225LTC*	18	13.63" x 18.5" x 8"	7.28	1.17



Halloween Candles

- Safe and easy to operate no heat generated
- LED light source eliminates need for bulb replacement







Pumpkin Votives

- Great for inside pumpkins
- No hot wax or dangerous flame
- Realistic flickering or color changing flame
- Can be used with or without decorative holder, in another holder or by itself
- Built-in timer candle will automatically come on the same time every day if left turned on and remain on for six hours before turning off and coming on the next day
- Uses 2 "AA" alkaline batteries (not included)
- Flickering votive (FPC1410) operates for up to 240 hours or 40 days if left turned on (six hours per day)
- Color changing votive (FPC1420) operates for up to 60 hours or 10 days if left turned on (six hours per day)



Decorative holder included

Catal Numb		UPC Code	Package (L x W x H)	Case Pack	Case (L x W x H)	Case Weight (lbs.)	Case Cu.
FPC14	10 Pumpkin Votive Candle, Flickering	034481 195726	2.41" x 5.43" x 7.56"	6	16.37" x 6.5" x 8.63"	2.6	.53
FPC14	20 Pumpkin Votive Candle, Changing Color	034481 195986	2.41" x 5.43" x 7.56"	6	16.37" x 6.5" x 8.63"	2.6	.53

Holiday List

Catalog Number	Description	UPC Code	Package (L x W x H)	Case Pack	Case (L x W x H) \	Case Weight (lbs.)	Case) Cu.
1225L	Christmas Tree Lights On/Off Light Control, Brass Tree	034481 119586	2" x 5.5" x 7.5"	6	12.5" x 6.25" x 8.63"	2.34	.39
1225LC*	Christmas Tree Lights On/Off Light Control, Brass Tree	034481 119616	2″ x 5.5″ x 7.5″	6	12.5" x 6.25" x 8.63"	2.34	.39
1225LS	Christmas Tree Lights On/Off Light Control, Pewter Snowflake	034481 184225	2" x 5.5" x 7.5"	6	12.5" x 6.25" x 8.63"	2.34	.39
B660GR	Stake Light	042269 004207	2.5" x 6.125" x 11.5"	16	18.88" x 13.38" x 12.75	5″ 118.25	1.86
B702BR	Stake Light	042269 658684	2.25" x 6.125" x 11.5"	15	20.75" x 12" x 12.5"	245.0	1.80
FPC1210	Economy Battery Operated Candle	034481 216971	2" x 5.5" x 7.5"	12	16" x 6.88" x 11.25"	3.5	.72
FPC1220	Standard Battery Operated Candle, Antique Brass Finish	034481 186991	2.13" x 5.79" x 10"	6	11.75" x 6.88" x 11.25	″ 2.72	.53
FPC1220ABZ	Standard Battery Operated Candle, Aged Bronze Finish	034481 217657	2.13" x 5.79" x 10"	6	11.75" x 6.88" x 11.25	″ 2.72	.53
FPC1220P	Standard Battery Operated Candle, Pewter Finish	034481 190578	2.13" x 5.79" x 10"	6	11.75" x 6.88" x 11.25	″ 2.72	.53
FPC1225	Deluxe Battery Operated Candle, Antique Brass Finish	034481 161172	2.13" x 8.25" x 11"	6	13.25" x 9" x 12"	3.4	.83
FPC1225ABZ	Deluxe Battery Operated Candle, Aged Bronze Finish	034481 217640	2.13" x 8.25" x 11"	6	13.25" x 9" x 12"	3.4	.83
FPC1225P	Deluxe Battery Operated Candle, Pewter Finish	034481 184232	2.13" x 8.25" x 11"	6	13.25" x 9" x 12"	3.4	.83
FPC1230	Candelabra Battery Operated Candle, Antique Brass Finish	034481 173304	2.36" x 12" x 12.28"	3	8" x 12.75" x 13.25"	3.35	.78
FPC1230ABZ	Candelabra Battery Operated Candle, Aged Bronze Finish	034481 217756	2.36" x 12" x 12.28"	3	8" x 12.75" x 13.25"	3.35	.78
FPC1230P	Candelabra Battery Operated Candle, Pewter Finish	034481 184249	2.36" x 12" x 12.28"	3	8" x 12.75" x 13.25"	3.35	.78
FPC1250	Standard Plug-In Candle Night Light, Antique Brass Finish	034481 184409	2.56" x 4" x 6.77"	6	15.88″ x 5″ x 7.5″	1.38	.35
FPC1250P	Standard Plug-In Candle Night Light, Pewter Finish	034481 195924	2.56" x 4" x 6.77"	6	15.88" x 5" x 7.5"	1.38	.35
FPC1255	Rotating Plug-In Candle Night Light, Antique Brass Finish	034481 007289	2.75" x 4.14" x 6.7"	6	15.88" x 4.6" x 7.5"	1.43	.32
FPC1255P	Rotating Plug-In Candle Night Light, Pewter Finish	034481 007005	2.75" x 4.14" x 6.7"	6	15.88" x 4.6" x 7.5"	1.43	.32
FPC1410	LED Flickering Votive Candle	034481 195726	2.41" x 5.43" x 7.56"	6	16.37" x 6.5" x 8.63"	2.6	.53
FPC1415	LED Flickering Votive Candle, w/Frosted Glass Holder	034481 195962	2.59" x 3.98" x 5.12"	6	17.5" x 5" x 6.13"	2.6	.31
FPC1420	LED Changing Color Votive Candle	034481 195986	2.41" x 5.43" x 7.56"	6	16.37" x 6.5" x 8.63"	2.6	.53
FPC1425	LED Changing Color Votive Candle, w/Frosted Glass Holder	034481 195740	2.59" x 3.98" x 5.12"	6	17.5" x 5" x 6.13"	2.6	.31
FPC1451	9" Taper Candle, Ivory	034481 192695	1.5" x 3.5" x 9.75"	6	9.38" x 4.5" x 10.63"	2.5	.26
FPC1451B	9" Taper Candle w/Window Mounting Kit, Ivory, Brass Finish	034481 216650	1.5" x 5.62" x 9.75"	6	9.38" x 6.62" x 10.63"	2.75	.38
FPC1451P	9" Taper Candle w/Window Mounting Kit, Ivory, Pewter Finish	034481 216810	1.5" x 5.62" x 9.75"	6	9.38" x 6.62" x 10.63	2.75	.38
FPC1452	9" Candle Kit	034481 192701	2" x 7" x 10"	6	12.63" x 8.13" x 10.38	″ 3.58	.62
FPC1456	9" Taper Candle, Green	034481 193289	1.5" x 3.5" x 9.75"	6	9.38" x 4.5" x 10.63"	2.5	.26

Catalog Number	Description	UPC Code	Package (L x W x H)	Case Pack	Case (L x W x H)	Case Weight (lbs.)	Case Cu.
FPC1458	9" Taper Candle, Red	034481 193296	1.5" x 3.5" x 9.75"	6	9.38" x 4.5" x 10.63	2.5	.26
FPC1461	12" Taper Candle, Ivory	034481 192718	1.5″ x 3.5″ x 12.25″	6	9.38″ x 4.5″ x 13″	2.7	.32
FPC1461B	12" Taper Candle, w/Window Mounting Kit, Ivory, Brass Finish	034481 216780	1.5" x 5.62" x 12.25"	6	9.38" x 6.62" x 13"	3.0	.47
FPC1461P	12" Taper Candle w/Window Mounting Kit, Ivory, Pewter Finish	034481 216858	1.5" x 5.62" x 12.25"	6	9.38" x 6.62" x 13"	3.0	.47
FPC1462	12" Candle Kit	034481 192725	2" x 7" x 12.83"	6	14" x 7.38" x 13.75"	4.00	.82
FPC1466	12" Taper Candle, Green	034481 193302	1.5" x 3.5" x 12.25"	6	9.38" x 4.5" x 13"	2.7	.32
FPC1468	12" Taper Candle, Red	034481 193319	1.5" x 3.5" x 12.25"	6	9.38" x 4.5" x 13"	2.7	.32
FPC1484	Pillar Candle, 4"	034481 216902	3.3″ x 3.3″ x 5.3″	3	10.62" x 3.54" x 5.9	1.32	.13
FPC1485	Pillar Candle, 5"	034481 216919	3.3″ x 3.3″ x 6.3″	3	10.62" x 3.54" x 6.7"	1.47	.15
FPC1486	Pillar Candle, 6"	034481 216933	3.3″ x 3.3″ x 7.3″	3	10.62" x 3.54" x 7.7	1.58	.17
FPC1487	Pillar Candles, Set of Three; One Each of the 4", 5" and 6"	034481 216940	3.4" x 7.6" x 10.5"	3	10.62" x 8.26" x 11"	4.33	.56
FPC1493	Three Wick Pillar Candle	034481 216957	4.2″ x 4.2″ x 5.4″	3	13″ x 4.9″ x 5.9″	1.94	.22
FPC1520A	Standard Battery Operated Candle, Aged Bronze Finish	034481 008293	2.1" x 5.65" x 10"	6	11.75″ x 6.75″ x 11″	2.21	.51
FPC1520B	Standard Battery Operated Candle, Antique Brass Finish	034481 008408	2.1" x 5.65" x 10"	6	11.75″ x 6.75″ x 11″	2.21	.51
FPC1520P	Standard Battery Operated Candle, Pewter Finish	034481 008545	2.1" x 5.65" x 10"	6	11.75″ x 6.75″ x 11″	2.21	.51
FPC1525A	Deluxe Battery Operated Candle, Aged Bronze Finish	034481 007265	2.32" x 8.3" x 11"	6	14.3″ x 9″ x 12″	3.09	.90
FPC1525B	Deluxe Battery Operated Candle, Antique Brass Finish	034481 007272	2.32" x 8.3" x 11"	6	14.3″ x 9″ x 12″	3.09	.90
FPC1525P	Deluxe Battery Operated Candle, Pewter Finish	034481 008552	2.32″ x 8.3″ x 11″	6	14.3″ x 9″ x 12″	3.09	.90
FPC1530A	Candelabra Battery Operated Candle, Aged Bronze Finish	034481 008569	12" x 2.4" x 12.28"	3	12.6" x 7.65" x 12.8"	3.23	.72
FPC1530B	Candelabra Battery Operated Candle, Antique Brass Finish	034481 008637	12" x 2.4" x 12.28"	3	12.6″ x 7.65″ x 12.8′	3.23	.72
FPC1530P	Candelabra Battery Operated Candle, Pewter Finish	034481 008644	12" x 2.4" x 12.28"	3	12.6" x 7.65" x 12.8"	3.23	.72
FPC1561B	12" Taper Candle, w/Window Mounting Kit, Ivory, Brass Finish	034481 009894	2.6" x 5.6" x 12.67"	6	13.75″ x 6.5″ x 13.5′	2.47	.70
FPC1561P	12" Taper Candle, w/Window Mounting Kit, Ivory, Pewter Finish	034481 009870	2.6" x 5.6" x 12.67"	6	13.75" x 6.5" x 13.5"	2.47	.70
HS250D	Photo Cell Flood Light Control	034481 121312	2.5″ x 4″ x 6.75″	6	14.6″ x 4.3″ x 7.3″	1.76	.27
HW2190	Outdoor Light Control w/Remote	034481 140221	2" x 7.5" x 8.75"	6	15.5" x 8" x 9.75"	5.14	.70
RC6000	Plug-In Indoor Light Dimmer w/Remote	081203 060114	2.25" x 7.5" x 8.75"	6	15.38″ x 8″ x 10.5″	4.26	.75
RC7000D	Premium Indoor Light Dimmer w/Remote	081203 070113	2" x 7.5" x 8.75"	6	14.63" x 8.25" x 10.13	3″ 3.63	.71



Thomas@Betts

©2011 Thomas & Betts Corporation Memphis, TN 38125 All Rights Reserved. Toll Free: 877-422-7566

http://retail.tnb.com