



**DIMMER CONTROLS**

**WIRELESS REMOTE  
CONTROLS**

**AUTOMATIC PHOTO  
CONTROLS**

**MOTION SENSOR LIGHT  
CONTROLS**

**HOME SECURITY**

**CONVENIENCE LIGHTING**



## Rotary Dimmer Controls



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
XL150D	White	0 34481 08805 9	6	10.2" x 4.3" x 7.1"	1.75	0.18

Rotary Light Dimmer. No wiring required. Simply screw into lamp. Turn dimmer knob to adjust light level. Up to 150 watts max., indoor use only.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HLD500D	Brass Knob	0 34481 09334 3	6	13.4" x 4.3" x 7.5"	1.44	0.25

Floor Lamp Dimmer Repair Kit. For replacing worn-out dimmer controls. Use on halogen torchieres, floor lamps and some halogen desk lamps. Up to 500 watts max., indoor use only.

## Slide Dimmer Controls



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
AR170	White	0 34481 17643 5	6	10" x 4.75" x 7.37"	1.95	0.20

Clamp-on Slide Dimmer. Attaches to your existing lamp cord. Slide lever for full range dimming or to off position. 300 watt max. LED night light for easy access in the dark.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
AR180	White	0 34481 17644 2	6	16" x 5" x 7.5"	3.56	0.32

Plug-In Slide Dimmer. Plugs in with your lamp. Slide lever for full range dimming on to off position. 300 watt max. LED night light for easy access in the dark.



AR170 Clamp-on Slide Dimmer

## Touch Dimmer Controls



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
AR125D	White	0 34481 08809 7	6	13.4" x 4.3" x 7.5"	1.75	0.25

Screw-In Touch Dimmer. Select light level by touch. Four light levels. For use in metal lamps with metal sockets. 150 watts max., indoor use only.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
AR135D	White	0 34481 08810 3	6	13.4" x 4.3" x 7.5"	1.75	0.25

Wire-In Touch Dimmer. Repairs existing touch lamps. Converts standard metal lamps. Four light levels. Select light level by touch. 200 watts, indoor use only.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
AR145D	White	0 34481 08844 8	6	13.4" x 4.3" x 7.5"	2.06	0.25

Plug-In Touch Dimmer. Select light level by touch. Four light levels. Use with metal lamps. Special fade to off feature will gradually dim light to off as you leave the room. 200 watts, indoor use only.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
AR155D	White/Brass	0 34481 08845 5	6	13.4" x 4.3" x 7.5"	2.06	0.25

Touch Pad Dimmer. Select light level by touch. Four light levels. Converts any incandescent lamp to a dimmer. 400 watts max., indoor use only.



AR155D Touch Pad Dimmer

## Wireless Light Switches



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HW2155D	White	0 34481 08640 6	6	15.7" x 8" x 11"	3.9	0.80

Extend-A-Wall Switch. Control an overhead light from 2 locations. 1st switch replaces existing wall switch. 2nd switch mounts anywhere; 350 watts incandescent lights only, indoor use only. Four selectable channels. 50' range, 12V battery included.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HW2165D	White	0 34481 11157 3	6	16.8" x 8" x 11"	3.9	0.86

Light Socket Switch. Turn fixture on/off with a switch. Socket screws into existing pull chain fixture or lamp; 50 watts incandescent lights only, indoor use only. 50' range, 12V battery included. Four selectable channels.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HW2170D	White	0 34481 06258 5	6	15.7" x 8" x 11"	3.9	0.80

Wall Switch. Turn lamp on/off with a switch. Plugs into any standard outlet; 12A resistive, 600 watts, indoor use only. Four selectable channels. 50' range, 12V battery included.



HW2165D Light Socket Switch

## Wireless Remote Controls



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC7000D	White/Black	0 81203 07011 3	6	15.7" x 8" x 11"	3.3	0.80

Premium **Indoor** Light Control with Remote. Four selectable channels. Incandescent and fluorescent; 600 watts max., up to 50 ft. operating range, 12A resistive, 12V battery included. Operate your Christmas tree lights and lamps with the convenience of a remote. Plugs into standard outlet.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HW2190	Black	0 34481 14022 1	6	13" x 8" x 11"	4.5	0.66

Premium **Outdoor** Light Control with Remote. Four selectable channels. 960 watts incandescent, fluorescent and halogen bulbs, 1560 watts resistive load, 150' range, 12V battery included. Indoor or outdoor use. Operate your Christmas tree lights, lamp, TV, stereo, and other small appliance with the convenience of a remote. Plugs into any standard outlet - inside or outside.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HW1170	White	0 34481 17331 1	6	15.7" x 8" x 11"	3.3	0.80

Economy **Indoor** Light Control with Remote. Operate your Christmas tree lights and lamps with the convenience of a remote. Plug into any standard outlet. 50' range, 9V battery (not included), 12A resistive, 600 watts max.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HW1190	Black	0 34481 17332 8	6	13" x 8" x 11"	4.5	0.66

Economy **Outdoor** Light Control with Remote. Operate your Christmas lights, lamp, TV, stereo or other small appliances with the convenience of a remote. Plug into any standard outlet, indoor or outdoor use. Approved for use in wet locations. 50' range, 9V battery (not included), 960 watts max..



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
RC6000	Grey	0 81203 06011 4	6	15.7" x 8" x 11"	3.3	0.80

Plug-In Light Dimmer with Remote. Turn light on/off and dim with a remote. When turned off, unit's memory retains last dimming level selected. Plugs into any standard outlet, **indoor use only**. Two frequencies available. Incandescent bulbs only; 300 watts, up to 50 ft. operating range, 9V battery (not included).



## Automatic Photo Controls



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
XP60	Black	0 34481 18871 1	6	19.5" x 5.13" x 7.5"	0.566	0.37

Compact Light Control. Fits into compact coach lanterns and allows you to use candelabra bulbs. Photocell controls unit to turn on at dusk and off at dawn. Ratcheting base is adjustable for best light exposure. Rating of 60 watts maximum. Use indoors or outdoors in enclosed applications. For decorative lights.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
XP150D	Black	0 34481 08754 0	6	10.2" x 4.3" x 7.1"	1.78	0.18

Light Control. Adjustable light sensor. Turns light on at dusk and off at dawn automatically. 150 watts. Can be used outdoors in an enclosed fixture.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS175D	Black	0 34481 12130 5	6	10.2" x 4.3" x 7.1"	1.51	0.18

Light Control/Timer. Turns light on from early dusk to darkness. Adjustable timer turns light off from 1 to 6 hours later. UL listed for inside and outside in enclosed application. Use with 120V AC, 150 watts max incandescent and compact fluorescent bulb. Eliminates flickering that can occur at dusk or dawn.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS250D	Black	0 34481 12131 2	6	14.6" x 4.3" x 7.5"	1.51	0.27

Flood Light Control. Turns light on at dusk and off at dawn. Adjust light sensitivity ring to select turn-on time. UL listed for outside use. Use with 120V AC, 150 watts max.

## Automatic Photo Controls *(Continued)*



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS300D	White	0 34481 12132 9	6	10.2" x 4.3" x 7.1"	1.51	0.18

Light Control. Turns light on at dusk and off at dawn. Unique design provides the ability to aim light sensor at strongest source of light. UL listed for inside and outside in enclosed application. Use with 120V AC, 150 watts max., incandescent bulb only.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS306	White	TBD	6	10.2" x 4.3" x 7.1"	1.51	0.18

Light Control with Timer. Turns light on at dusk and off after 8 hours. Unique design provides the ability to aim light sensor at strongest source of light. UL listed for inside and outside in enclosed applications. Use with 120V AC, 150 Watts max. incandescent or fluorescent bulb. Eliminates flickering that can occur at dusk or dawn.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS310D	White	0 34481 12133 6	6	7.75" x 4.3" x 7.25"	1.38	0.14

Plug-In Light Control. Turns light on at dusk and off at dawn. Plugs into any indoor outlet for use with table, floor and swag lamps. Use with 120V AC, 300 watts max., incandescent bulb only.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS390D	Black	0 34481 16115 8	6	13" x 6.7" x 8.27"	4.13	0.42

Plug-in Outdoor Timer. Operates Christmas lights, landscape lighting or stake lighting. Photocell controls unit to turn lights on at dusk. Use timer (up to 8 hrs.) or keep lights on until dawn. Grounded plug and outlet. UL Listed for indoor and outdoor use. 1000 watts max.



HS310D Plug-In Light Control

## Hardwired Photocell Controls



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS525	Black	0 34481 12449 8	6	12.87" x 5.12" x 7.25"	1.50	0.27
HS535	Black	0 34481 12450 4	6	14.75" x 4.37" x 7.25"	1.50	0.27

Post Eye Control. Turns light on at dusk and off at dawn. Adjustable light sensor. Built-in timer delay eliminates flicker. 840 VA ballast, 120V AC, 60 Hz.

HS525 500 watts max.

HS535 1800 watts max.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS550	Grey	0 34481 12452 8	6	9.75" x 5.12" x 7.25"	1.60	0.20

Security Lighting Control. Turns light on at dusk and off at dawn. Built-in timer delay eliminates flicker. Light shield allows you to partially cover photocell eye. Mounts easily in 1/2" knockout. 2000 watts max., 1900 VA ballast, 120V AC, 60 Hz.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS565	Grey	0 34481 12453 5	6	14.62" x 5" x 7.25"	1.50	0.30

Twist Lock Light Control. Turns light on at dusk and off at dawn. Fits most mercury vapor and sodium 3-prong receptacle light fixtures. Time delay will take about 2 minutes to turn light on or off. Built-in timer delay eliminates flicker. 1000 watts max - 1800 tungsten, 1000 VA ballast, 120V AC, 60 Hz.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS570	Grey	0 34481 12454 2	6	11.87" x 5" x 7.25"	1.50	0.24

Swivel Light Control. Turns light on at dusk and off at dawn. Adjustable arm for aiming photo control. Mounts easily in 1/2" knockout. Works with incandescent, halogen, fluorescent, and HID lighting. 1200 watts max, tungsten, 1200 VA ballast, 120V AC, 60 Hz.



HS550 Security Light Control



HS565 Twist Lock Light Control



## Motion Sensor Light Controls



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS3100D	Grey	0 34481 12092 6	6	18.5" x 8" x 10"	4.36	1.22
HS3110D	White	0 34481 12160 2	6	18.5" x 8" x 10"	4.36	1.22

Motion-Activated Light Adapter. Turns light on when motion is detected. Adjustable "On" time of one or ten minutes. For use in both par lamp fixtures and decorative lights. 150 watts, indoor or outdoor use, 120° x 50' detection zone. Use with compact fluorescent bulbs.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS3101D	Grey	0 34481 12218 0	6	14" x 5" x 10"	1.16	0.41
HS3111D	White	0 34481 12219 7	6	14" x 5" x 10"	1.16	0.41

Add-On Light Socket Adapter. Simply plug into the motion-activated light adapter when using dual bulbs. 150 watts, indoor or outdoor use.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS2144	White	0 34481 18476 8	3	11" x 4.75" x 9.5"	1.82	0.29

Wireless Add-On Motion Sensor. Turns light on when motion is detected. Weather-sealed sensor mounts inside or outside. Battery operated. 140° x 60' detection zone. Operates with Carlon models HS3605, HS3620, and HS3655.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS3605	White	0 34481 18474 4	3	11" x 5.12" x 9.87"	3.44	0.32

Motion-Activated Driveway Alarm. Turns lamp on inside when motion detected outside. Controls up to 600 watts incandescent lighting. Battery operated. Timer switch allows choices of on-time (6 seconds, 3 minutes, 10 minutes). Optimal alarm sound. 140° x 60' detection zone. Use with compact fluorescent bulbs.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS3620	White	0 34481 18475 1	3	14.75" x 8.12" x 9.88"	3.61	0.68

Motion-Activated Security Light. Turns lamp on inside when motion is detected outside. Light shuts off 5 minutes after motion has stopped. 140° x 60' detection zone. Weather-sealed sensor mounts inside or outside. Use with compact fluorescent bulbs.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS3655	White	0 34481 18688 5	3	11" x 5.12" x 9.9"	4.2	0.34

Motion Activated Wall Switch. Turns light on from your existing wall switch when motion is detected. Battery operated. Weather-sealed sensor mounts inside or outside. 140° x 60' detection zone.

## Door/Window Sticker



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS4000D	White/Red	0 34481 17551 3	12	10" x 5" x 10"	0.14	0.29

Door/Window Stickers. Mounts on doors and windows to deter break-ins. Warns intruders that your home is protected. Self adhesive. Highly visible.

## Security Timer



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS4390	White	0 34481 18693 9	6	16.5" x 4.75" x 9.5"	3.5	0.43

House Sitter™ Random Security Timer. Turns on/off randomly-no set pattern so home looks lived in. Fully automatic, use with lamps, radios, or televisions.

## Entrance Alarms/Chimes



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS4310	White	0 34481 17542 1	6	10" x 5" x 10"	0.298	0.29

Door/Window Alarm. Alarm sounds when magnetic contact is separated. Ultra loud 105 dB alarm. Key to arm/disarm unit.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS4313	White	0 34481 17543 8	6	12.5" x 5" x 10"	3.2	0.36

Key Entry Alarm. Alarm sounds when the magnetic contact is separated. Key used to arm/disarm unit. Instant or delayed option. 2 "AAA" batteries.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS4317	White	0 34481 17544 5	6	12.5" x 8" x 10"	0.480	0.58

Key Pad Entry Alarm. Alarm chime sounds when magnetic contact is separated. Programmable key pad code to disarm unit. Four operational modes-chime, instant, delayed or off. 3 "AAA" batteries.

## Motion Sensing Alarms/Chimes



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4320D	White	0 34481 12135 0	6	16" x 8" x 10"	3.11	0.74

Motion Alarm/Chime with Keypad. Pre-coded keypad to arm and disarm. Portable or wall mount - no wiring needed. Detection range: 30 feet. Detection angle: 110°, indoor use only. 3 "AA" batteries.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4370D	White	0 34481 12136 7	6	16" x 8" x 10"	6.78	0.74

Motion Alarm/Chime with Remote. Choose chime to announce visitors or siren to ward off intruders. Remote control operates from up to 25 feet away. Up to 15 seconds entrance and up to 45 seconds exit delays. Detection range: up to 30 feet. Detection angle: 110°, indoor use only. 3 "AA" batteries.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS4900D	White	0 34481 17552 0	3	9" x 12" x 10"	5.919	0.63

Remote Control/Wireless Ceiling Alarm. Powerful 110 dB alarm or 90 dB chime. Automatic reset after activation. Low battery indicator. Entry and exit delays. Perfect for entry areas, garages and covered patios.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
HS4950D	Black	0 34481 12141 1	6	10" x 5" x 10"	0.207	0.29

Motion Alarm Remote Control. Turns Alarm/Chime on/off from 25 feet away. LED operating light. Use with Carlon models HS4900D, HS4370D and HS4340D.

## Wireless Entrance Alarms/Chimes



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
RC2235	White	0 81203 02235 8	3	10.25" x 9" x 10"	0.700	0.53

Alarm Entrance Alert. Alarm sounds when magnetic contact is separated. Convenient alarm/off switch. 6 tones.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs.)	Case Cube (Cu. Ft.)
RC3450	White	0 81203 03450 4	6	12.5" x 5" x 10"	1.95	0.36

Door Sensor. Additional transmitter and magnet to monitor door. Operates with Carlon's RC2235 Entrance Alert.

## Night Lights



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS9610	White	0 34481 16116 5	6	10.5" x 6.875" x 8.875"	2.11	0.37
HS9612	White	0 34481 17610 7	6	15" x 5" x 7.5"	1.85	0.33

Power Failure Safety Light. Operates as a night light or emergency light if power goes out. LED bulb, cool to the touch.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS9644	White	0 34481 17613 8	6	15" x 5" x 7.5"	1.85	0.33
HS9646	White	0 34481 17614 5	6	15" x 5" x 7.5"	1.85	0.33

LED Low Energy Night Light. Style: Swirl and Rose.



## LED Handy Lights



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
FL300	Blue	0 34481 17909 2	6	11" x 5" x 7.5"	1.60	0.24

LED Handy Light.

## Battery Operated Lights



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4700B	White	0 34481 12113 8	12	10.62" x 9.87" x 7.5"	3.85	0.45



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4720B	White	0 34481 12138 1	12	10.62" x 9.87" x 7"	4.24	0.42

## LED Battery Lights



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4810	White	0 34481 21144 0	6	18.18" x 6.43" x 8.55"	3.1	0.57

Mini Spotlight. Four bright-white LEDs. Auto shut-off after 60 minutes extends battery life. Install with mounting bracket or double-sided tape (included). Requires 3 "AA" batteries (not included). Quick release for easy battery change. No wiring needed.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4815	White	0 34481 21145 7	6	18.18" x 6.43" x 8.55"	3.1	0.57

Mini Spotlight with Motion Sensor. Four bright-white LEDs. Auto shut-off after 60 minutes extends battery life. Install with mounting bracket or double-sided tape (included). Requires 3 "AA" batteries (not included). Quick release for easy battery change.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4830	White	0 34481 21146 4	3	10.5" x 8.44" x 9.97"	2.9	0.51

Closet Light. Six bright-white LEDs. Auto shut-off after 20 minutes extends battery life. Mounts easily – no electrician or wires needed. Requires 3 "C" batteries (not included). Install with mounting bracket or double-sided tape (included). Quick release for easy battery change.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4835	White	0 34481 21147 1	3	10.5" x 8.44" x 9.97"	2.9	0.51

Closet Light with Motion Sensor. Six bright-white LED's. Auto shut-off after 20 minutes extends battery life. Mounts easily – no electrician or wires needed. Requires 3 "C" batteries (not included). Install with mounting bracket or double-sided tape (included). Quick release for easy battery change.



Part #	Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
HS4850	White	0 34481 21149 5	3	TBD	TBD	TBD

LED Sconce. Bright light from 8 super bright LEDs. Auto shut-off extends battery life. Mounts easily to any surface – no electrician or wires needed. LED light source – eliminates bulb replacement. Cool to the touch. Requires 4 "D" alkaline batteries (not included). Push surface to easily turn light on/off.



