



**MULTI APPLICATION
WEATHERPROOF COVERS**

WEATHERPROOF COVERS

**IN-USE WEATHERPROOF
COVERS**

WEATHERPROOF BOXES

**WEATHERPROOF
LIGHTING SYSTEMS**

WEATHERPROOF FIXTURE

**WEATHERPROOF
LIGHTING GLOBES**

**WEATHERPROOF UTILITY
LIGHT KIT**

FEATURES:

- ***NONMETALLIC***
- ***NONCONDUCTIVE***
- ***CORROSION RESISTANT***
- ***PAINTABLE***

1. LHP reserves the right to round orders to the nearest package quantity.
2. Prices subject to change without notice.
3. Shaded items indicate non-stock factory make-to-order items only – material is non-returnable and non-cancellable.

In-Use Single Gang


- Mounts vertically and horizontally
- For use in wet/damp locations
- Mounts to an FS Box or nonporous flat surface
- Nonmetallic. Won't rust or fade
- Scratch resistant cover
- Paintable




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98MW	White	0 34481 19091 2	10	13.25" x 4" x 6"	3.3	0.18
E98MC	Clear	0 34481 19089 9	10	13.25" x 4" x 6"	3.3	0.18
E98MG	Grey	0 34481 19090 5	10	13.25" x 4" x 6"	3.3	0.18

Flat covers 5/8" Depth.


14 Configurations



Horizontal Mount



Vertical Mount



In-Use Double Gang


- Mounts vertically
- For use in wet/damp locations
- Mounts to an FS Box or nonporous flat surface
- Nonmetallic. Won't rust or fade
- Scratch resistant cover
- Paintable
- These covers must be mounted in accordance with all local and NEC/CEC requirements.




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2MW	White	0 34481 19094 3	10	13.25" x 4" x 6"	5.4	0.18
E9G2MC	Clear	0 34481 19092 9	10	13.25" x 4" x 6"	5.4	0.18
E9G2MG	Grey	0 34481 19093 6	10	13.25" x 4" x 6"	5.4	0.18

Flat covers 5/8" Depth.

40 Configurations



Vertical Mount only



In-Use Single Gang


- NEMA Type 3R Rated
- Meets NEC Article 406.8(B), CEC Subrule 26-706
- Mounts vertically and horizontally
- For use in wet/damp locations
- Mounts to an FS Box or nonporous flat surface
- Nonmetallic. Won't rust or fade
- Scratch resistant cover
- Paintable




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UVHMW	White	0 34481 19098 1	12	20.5" x 7.6" x 6.5"	7.6	0.58
E9UVHMC	Clear	0 34481 19096 7	12	20.5" x 7.6" x 6.5"	7.6	0.58
E9UVHMG	Grey	0 34481 19097 4	12	20.5" x 7.6" x 6.5"	7.6	0.58

Standard covers 2-3/4" Depth.


14 Configurations



Horizontal Mount



Vertical Mount




Deep Vertical Single Gang




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UDVHMW	White	0 34481 19105 1	8	20.5" x 7.6" x 6.5"	6.9	0.58
E9UDVHMC	Clear	0 34481 19183 2	8	20.5" x 7.6" x 6.5"	6.9	0.58
E9UDVHMG	Grey	0 34481 19104 9	8	20.5" x 7.6" x 6.5"	6.9	0.58

Deep covers 4-3/4" Depth.


14 Configurations



Horizontal Mount



Vertical Mount



In-Use Double Gang


- NEMA Type 3R Rated
- Meets NEC Article 406.8(B), CEC Subrule 26-706
- Mounts vertically
- For use in wet/damp locations
- Mounts to an FS Box or nonporous flat surface
- Nonmetallic. Won't rust or fade
- Scratch resistant cover
- Paintable




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9U2VMW	White	0 34481 19102 5	6	20.5" x 7.6" x 6.5"	4.7	0.58
E9U2VMC	Clear	0 34481 19099 8	6	20.5" x 7.6" x 6.5"	4.7	0.58
E9U2VMG	Grey	0 34481 19101 8	6	20.5" x 7.6" x 6.5"	4.7	0.58

Standard covers 2-3/4" Depth.

40 Configurations



Vertical Mount only




Deep Vertical Double Gang




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9U2DVMW	White	0 34481 19108 7	4	20.5" x 7.6" x 6.5"	3.9	0.58
E9U2DVMC	Clear	0 34481 19141 4	4	20.5" x 7.6" x 6.5"	3.9	0.58
E9U2DVMG	Grey	0 34481 19142 1	4	20.5" x 7.6" x 6.5"	3.9	0.58

Deep covers 4-3/4" Depth.

40 Configurations



Vertical Mount only



Weatherproof Covers – Single Gang

15 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98SRCN-CAR	Grey	0 34481 11070 5	10	12" x 4" x 6"	2.05	0.17

For 15 amp or other single receptacles under 1.375" diameter.

20 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98G20N-CAR	Grey	0 34481 11071 2	10	12" x 4" x 6"	2.05	0.17

For 20 amp or other single receptacles under 1.625" diameter.

30 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98G30N-CAR	Grey	0 34481 11072 9	10	12" x 4" x 6"	1.72	0.17

For 30 amp or other single receptacles under 1.750" diameter.

50 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98G5FN-CAR	Grey	0 34481 11073 6	10	12" x 4" x 6"	1.97	0.17

For 50 amp or other single receptacles under 2.250" diameter.

Vertical Duplex Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98GDRN-CAR	Grey	0 34481 11074 3	10	12" x 4" x 6"	1.97	0.17
E98GDRM-CAR	White	0 34481 11075 0	10	12" x 4" x 6"	1.97	0.17

For single gang duplex receptacle applications.

Weatherproof Covers – Single Gang

Vertical GFCI Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98GFCN-CAR	Grey	0 34481 11076 7	10	12" x 4" x 6"	2.00	0.17
E98GFCM-CAR	White	0 34481 11077 4	10	12" x 4" x 6"	2.00	0.17

For GFCI receptacle applications. Device opening dimensions: 2.63" H. x 1.31" W.

Duplex Receptacle - Horizontal Mount



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98DHGN-CAR	Grey	0 34481 11081 1	10	12" x 4" x 6"	1.89	0.17
E98DHGM-CAR	White	0 34481 11082 8	10	12" x 4" x 6"	1.89	0.17

For GFI receptacle applications. Device opening dimensions: 2.63" H x 1.31" W.

Horizontal GFCI Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98GHGN-CAR	Grey	0 34481 11083 5	10	12" x 4" x 6"	1.89	0.17
E98GHGM-CAR	White	0 34481 11084 2	10	12" x 4" x 6"	1.89	0.17

For GFI receptacle applications. Device opening dimensions 2.63" W x 1.31" H.

Single Switch



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98SSCN-CAR	Grey	0 34481 11079 8	10	12" x 4" x 6"	2.05	0.17
E98SSCM-CAR	White	0 34481 11080 4	10	12" x 4" x 6"	2.05	0.17

For single switch applications.

Toggle Switch



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98TSCN-CAR	Grey	0 34481 11497 0	5	12" x 4" x 6"	2.00	0.17
E98TSCM-CAR	White	0 34481 11498 7	5	12" x 4" x 6"	2.00	0.17

For single weatherproof toggle switch applications.

Weatherproof Covers – Two Gang

Double Duplex Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2DDN-CAR	Grey	0 34481 11033 0	10	12" x 6" x 6"	2.27	0.25
E9G2DDM-CAR	White	0 34481 11034 7	10	12" x 6" x 6"	2.63	0.25

For two gang duplex receptacle applications.

Double Toggle Switch Combination



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2SSNR	Grey	0 34481 11492 5	3	7.1" x 6" x 4.2"	3.22	0.10

For two gang GFI and weatherproof toggle switch applications.

GFCI Receptacle/Toggle Switch Combination



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2GTNR	Grey	0 34481 11037 8	3	12" x 6" x 6"	1.31	0.25

For two gang GFI and weatherproof toggle switch applications.

Duplex Receptacle/Toggle Switch Combination



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2DSN-CAR	Grey	0 34481 11035 4	10	12" x 6" x 6"	1.31	0.25
E9G2DSM-CAR	White	0 34481 11036 1	10	12" x 6" x 6"	1.31	0.25

For two gang duplex receptacles, and weatherproof toggle switch applications.

Blank Covers

Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E980CN-CAR	Grey	0 34481 11494 9	12	6" x 4" x 6"	1.48	0.08
E980CM-CAR	White	0 34481 11495 6	12	6" x 4" x 6"	1.48	0.08

Fits Carlon® single gang FS boxes. Supplied with stainless steel mounting screws and gasket.

Two Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9802CN-CAR	Grey	0 34481 11512 0	10	6" x 4" x 6"	2.19	0.8
E9802CM-CAR	White	0 34481 12424 5	10	6" x 4" x 6"	2.19	0.8

Fits Carlon® two gang FS boxes, other nonmetallic and metallic FS boxes. Supplied with stainless steel mounting screws and gasket.

In-Use Weatherproof Covers

Vertical Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UVCRN2	Clear	0 34481 19772 0	12	17.9" x 7.5" x 7"	5.00	0.54
E9UVGRN2	Grey	0 34481 19768 3	12	17.9" x 7.5" x 7"	5.23	0.54
E9UVWRN2	White	0 34481 19770 6	12	17.9" x 7.5" x 7"	5.32	0.54

Includes: one duplex receptacle plate, one GFI receptacle plate, one cover, one base with gasket and screws.

Deep Vertical Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UDVCRN2	Clear	0 34481 12520 4	8	17.9" X 7.5" X 7"	8.56	0.54
E9UDVGRN2	Grey	0 34481 12522 1	8	17.9" X 7.5" X 7"	8.56	0.54
E9UDVWRN2	White	0 34481 15324 5	8	17.9" X 7.5" X 7"	8.56	0.54

Includes: one switch plate, one duplex receptacle plate, one GFI receptacle plate, one single receptacle plate, one cover, one base with gasket and screws. For use with heavy duty 12/10 guage cords.

1.60" diameter - fits 20 amp twistlock or standard 30 amp receptacle.

Horizontal Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UHCRN2	Clear	0 34481 07495 3	4	12" x 6" x 6"	2.02	0.25
E9UHGRN2	Grey	0 34481 07496 0	4	12" x 6" x 6"	2.02	0.25
E9UHWRN2	White	0 34481 07497 7	4	12" x 6" x 6"	2.02	0.25

Includes: one duplex receptacle plate, one GFI receptacle plate, one cover, one base with gasket and screws.

Double Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9U2CRN2	Clear	0 34481 07507 3	6	17.9" x 7.5" x 7"	5.43	0.54
E9U2GRN2	Grey	0 34481 07508 0	6	17.9" x 7.5" X 7"	5.56	0.54
E9U2WRN2	White	0 34481 07509 7	6	17.9" x 7.5' x 7"	5.69	0.54

Includes: double duplex receptacle plate, double GFI receptacle plate, combination duplex and toggle plate, combination GFI and toggle plate, one cover, one base with gasket and screws.

Nonmetallic Threaded Box

Rectangular Single Gang "T" Box



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E381DR*	Grey	0 34481 06570 8	8	12" x 8" x 6"	2.31	0.33
E381DWR*	White	0 34481 04824 4	5	12" x 8" x 6"	2.31	0.33

With three 1/2" threaded holes. Mounting feet included.

Rectangular Two Gang "T" Box



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E382DE*	Grey	0 34481 14400 7	6	13" x 6" x 5.5"	3.60	0.25
E382DEW*	White	0 34481 14411 3	6	13" x 6" x 5.5"	3.60	0.25

4" Round "T" Box



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E365DR*	Grey	0 34481 06571 5	8	12" x 8" x 6"	1.24	0.33
E365DWR*	White	0 34481 04825 1	8	12" x 8" x 6"	1.24	0.33

With five 1/2" threaded holes. Mounting feet included.

Round Weatherproof Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E365C-CAR	Grey	0 34481 16017 5	20	5.75" x 4.5" x 6"	2.90	0.09
E365CW-CAR	White	0 34481 16113 4	20	5.75" x 4.5" x 6"	2.90	0.09

* For use with nonmetallic wiring systems only.

Nonmetallic Outlet Kits

Vertical GFCI Kit



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
KE98GFCN	Grey	0 34481 14670 4	6	10.7" x 7.8" x 8.7"	3.25	0.42
KE98GFCM	White	0 34481 14671 1	6	10.7" x 7.8" x 8.7"	3.25	0.42

Includes GFCI receptacle, weatherproof cover, and weatherproof "T" box.

Vertical Duplex Kit



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
KE98GDRN	Grey	0 34481 14668 1	6	10.7" x 7.8" x 8.7"	3.25	0.42
KE98GDRM	White	0 34481 14669 8	6	10.7" x 7.8" x 8.7"	3.25	0.42

Includes duplex receptacle, weatherproof cover, and weatherproof "T" box.

Horizontal Duplex Kit



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
KE98DHGN	Grey	0 34481 14792 3	6	10.7" x 7.8" x 8.7"	3.25	0.42
KE98DHGM	White	0 34481 14793 0	6	10.7" x 7.8" x 8.7"	3.25	0.42

Weatherproof Lighting Systems

Rectangular Lampholder Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P7901W-CAR	White	0 34481 13284 4	18	12" x 6" x 6"	1.34	0.25

With five 1/2" threaded holes. Mounting feet included.

Round Lampholder Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P7801W-CAR	White	0 34481 13283 7	16	12" X 6" X 6"	2.30	0.25

With five 1/2" threaded holes. Mounting feet included.

Lampholder with Gasket



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8001W-CAR	White	0 34481 13285 1	24	12" x 6" x 6"	5.40	0.25

Weatherproof Lighting Systems (Continued)

Two Lampholders with Rectangular Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8005W-CAR	White	0 34481 13286 8	6	12" x 8" x 6"	3.72	0.33

Two Lampholders with Round Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8010W-CAR	White	0 34481 13287 5	6	12" x 8" x 6"	4.03	0.33

"No-Tool" Lampholder with Round Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8060W-CAR	White	0 34481 14638 4	6	21" x 7.5" x 11"	5.28	1.00

"No-Tool" Lampholder with Rectangular Cover Kit



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8055W-CAR	White	0 34481 14636 0	6	21" x 7.5" x 11"	5.28	1.00

Closure Plugs



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P7701W-CAR	White	0 34481 13282 0	30	6" x 4" x 6"	0.60	0.08

Fixture Base



Part #	Product Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E962E	Black	0 34481 12048 3	6	12" x 8" x 6"	4.50	0.33

One-piece universal mounting base with 4-3/4" threaded hubs. Twist-on/lock-on socket assembly. Ceramic socket shell.

Clear Glass Globe



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E960GLB	Clear Glass	0 34481 06487 9	6	11" x 7.375" x 8"	6.60	0.37

Clear Polycarbonate Globe



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E960PGL	Clear Plastic	0 34481 06489 3	6	12.87" x 6.37" x 8.25"	1.74	0.39

Weatherproof Utility Light Kit



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E962EGLB	Clear Glass	0 34481 16182 0	3	10" x 12" x 8"	22.56	0.55
E962EPGL	Clear Plastic	0 34481 16183 7	3	10" x 12" x 8"	15.72	0.55

Suitable for damp and wet locations.

Fixtures with plastic globes mounted in a vertical position (globe pointing down only), can only use a maximum lamp size 60 watts, glass globes use a maximum of 100 watts. Fixtures mounted in a horizontal position or a position other than vertical have a maximum lamp size of 60 watts.

It is not recommended to mount the plastic globe horizontally for incandescent applications.

Metal Weatherproof Utility Light Kit - Ceiling Mount



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
MCL150C	Clear Glass	0 34481 19377 7	6	14" x 9.5" x 10.62"	13.8	0.81

Fixture is manufactured from heavy duty die-cast aluminum, which is suitable for wet locations. Fixture can be surface mounted or mounted to a junction box and is listed for through branch wiring. Use a maximum lamp size of 150 watts, 120VAC, incandescent bulb only.

Metal Weatherproof Utility Light Kit - Wall Mount



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
MCL150W	Clear Glass	0 34481 19378 4	6	14" x 9.5" x 10.62"	17.8	1.05

Fixture is manufactured from heavy duty die-cast aluminum, which is suitable for wet locations. Fixture can be mounted in a vertical position (globe pointing down only). Use a maximum lamp size of 150 watts, 120VAC, incandescent bulb only.